



OPERA OS5C

The Opera range offers cross-section cables of 2.5 and 4 mm² ensuring a true musical experience, accessible to all.

The tinned OFC (Oxygen free copper, coated treated with tin) treatment and the coiling braiding of the cable allow a high purity (99.99%) and guarantee an excellent restitution.

Cables with «tinned» treatment offer better longevity by greatly limiting the corrosion or oxidation that normally occurs over time.

TECHNICAL SPECIFICATIONS

Type	Speaker cable by meter
Section	2.5 mm / 0.09"
Length	5 m / 16.4 ft
Strands	Tinned OFC cable : oxygen free copper high purity (99,99%) with coiling braiding
Jacket	Transparent PVC with length, polarity and direction mark
EAN code	3660216004918



OPERA OS10C

The Opera range offers cross-section cables of 2.5 and 4 mm² ensuring a true musical experience, accessible to all.

The tinned OFC (Oxygen free copper, coated treated with tin) treatment and the coiling braiding of the cable allow a high purity (99.99%) and guarantee an excellent restitution.

Cables with «tinned» treatment offer better longevity by greatly limiting the corrosion or oxidation that normally occurs over time.

TECHNICAL SPECIFICATIONS

Type	Speaker cable by meter
Section	2.5 mm / 0.09"
Length	10 m / 32.8 ft
Strands	Tinned OFC cable : oxygen free copper high purity (99,99%) with coiling braiding
Jacket	Transparent PVC with length, polarity and direction mark
EAN code	3660216004925



OPERA OS100C4

The Opera range offers cross-section cables of 2.5 and 4 mm² ensuring a true musical experience, accessible to all.

The tinned OFC (Oxygen free copper, coated treated with tin) treatment and the coiling braiding of the cable allow a high purity (99.99%) and guarantee an excellent restitution.

Cables with «tinned» treatment offer better longevity by greatly limiting the corrosion or oxidation that normally occurs over time.

TECHNICAL SPECIFICATIONS

Type	Speaker cable by meter
Section	4 mm / 0.15"
Length	100 m / 328.1 ft
Strands	Tinned OFC cable : oxygen free copper high purity (99,99%) with coiling braiding
Jacket	Transparent PVC with length, polarity and direction mark
EAN code	3660216005557



OPERA OS100C

The Opera range offers cross-section cables of 2.5 and 4 mm² ensuring a true musical experience, accessible to all.

The tinned OFC (Oxygen free copper, coated treated with tin) treatment and the coiling braiding of the cable allow a high purity (99.99%) and guarantee an excellent restitution.

Cables with «tinned» treatment offer better longevity by greatly limiting the corrosion or oxidation that normally occurs over time.

TECHNICAL SPECIFICATIONS

Type	Speaker cable by meter
Section	2.5 mm / 0.09"
Length	100 m / 328.1 ft
Strands	Tinned OFC cable : oxygen free copper high purity (99,99%) with coiling braiding
Jacket	Transparent PVC with length, polarity and direction mark
EAN code	3660216004932



OPERA OS25A

The Opera range offers cross-section cables of 2.5 and 4 mm² ensuring a true musical experience, accessible to all.

The tinned OFC (Oxygen free copper, coated treated with tin) treatment and the coiling braiding of the cable allow a high purity (99.99%) and guarantee an excellent restitution.

Cables with «tinned» treatment offer better longevity by greatly limiting the corrosion or oxidation that normally occurs over time.

TECHNICAL SPECIFICATIONS

Type	Mounted speaker cable
Section	2.5 mm / 0.09"
Length	2 x 2.5 m / 2 x 8.2 ft
Strands	Tinned OFC cable : oxygen free copper high purity (99,99%) with coiling braiding
Jacket	Transparent PVC with length, polarity and direction mark
Banana plugs	Gold plated, anodized aluminum caps
EAN code	3660216004901